


Portable Finishing Sander Notes

Requirements:

Proper eye protection must be worn—operate only with instructor's permission and after proper instructions have been received.

1. Before connecting the power cord, be sure the power switch is "OFF."
2. Check to see that the abrasive sheet is in good condition and installed properly.
3. Start the sander above the work and set it down evenly; move slowly over a wide area.
4. Lift the sander from the work before stopping the motor.
5. Be sure the sander has stopped before placing the sander on the workbench.
6. All work must be securely fastened in the holding device.
7. Never carry any tool by its power cord.

Portable Finishing Sander Parts



Portable Finishing Sander Written Test

Use the correct heading and write the answers on your own paper. Using the BEST answer to complete the following:

1. Be sure the trigger switch is in the (Off On) position when plugging it in.
2. Check the abrasive sheet to see if it is (Loose Secure).
3. Hold the sander by the (Cord Handle).
4. Pull the (Plug Power cord) to remove the plug from the socket.
5. Turn (Off On) the sander before placing it on the work.
6. Turn the sander off while it is (On Off) the work piece.
7. If the machine is not working properly, you should:

List five SAFETY procedures you should do before you operate this machine:

8. _____
9. _____
10. _____
11. _____
12. _____

Portable Finishing Sander Written Test Key

1. Off
2. Secure
3. Handle
4. Plug
5. On
6. Off
7. Turn off equipment; unplug; and tell your teacher.

List five safety procedures you should do before you operate this or any machine:

1. Tuck in your shirt.
2. Secure your hair.
3. Remove jewelry.
4. Wear Z87 safety glasses.
5. Work with a partner.
6. Listen for and report any problems immediately.
7. Make sure that any guards all in place and working.
8. No horseplay.
9. Keep work area clean.
10. Protect hands.